



Within Australia Ph: 1800 ARROW KARTS

or visit

www.arrowkarts.com

## KART SET UP SHEET

Kart Model: X1

Class: wet setup

AXLE SIZE: 40 or 50mm AXLE LENGTH: \_\_\_\_\_ AXLE TYPE: MED

→ NUMBER OF REAR AXLE BEARINGS: 3

→ FRONT CRASH BAR: TIGHT X LOOSE \_\_\_\_\_

→ REAR CRASH BAR: TIGHT X LOOSE \_\_\_\_\_

→ FRONT TRACK: 30 mm OF SPACERS INSIDE WHEEL.

→ REAR TRACK: 1365 mm OVERALL WIDTH TO OUTSIDE EDGE OF WHEELS.

→ FRONT WHEEL ALIGNMENT: ZERO \_\_\_\_\_ TOE IN \_\_\_\_\_ mm TOE OUT 6 mm

→ FRONT CASTOR: MINIMUM \_\_\_\_\_ CENTRAL \_\_\_\_\_ MAXIMUM x

→ FRONT CAMBER: ZERO \_\_\_\_\_ POSITIVE 2 mm NEGATIVE \_\_\_\_\_ mm

→ TIE ROD MOUNTING HOLE: INNER x MIDDLE \_\_\_\_\_ OUTER \_\_\_\_\_

→ SEAT POSITION: A 25 mm B 210 mm C 90 mm

→ SEAT STAYS: TIGHT X LOOSE \_\_\_\_\_ 2 OR 4? 2

→ SIDE TORSION BAR: IN \_\_\_\_\_ OUT \_\_\_\_\_

→ REAR TORSION BAR: OUT X VERTICAL \_\_\_\_\_ FLAT \_\_\_\_\_

→ REAR CIK CROSS BAR: TIGHT X LOOSE \_\_\_\_\_ REMOVED \_\_\_\_\_

→ TYRE PRESSURE: FRONT LEFT \_\_\_\_\_ FRONT RIGHT \_\_\_\_\_ PSI OR BAR? PSI

→ TYRE PRESSURE: REAR LEFT \_\_\_\_\_ REAR RIGHT \_\_\_\_\_ PSI OR BAR? PSI

→ WHEEL FRONT TYPE: \_\_\_\_\_ alloy bolt on

→ WHEEL REAR TYPE: \_\_\_\_\_ alloy 7inch

→ FRONT HUB LENGTH: 65MM

→ REAR HUB LENGTH: 90MM

→ SIDE POD BARS: LOOSE \_\_\_\_\_ TIGHT X

→ FRONT RIDE HEIGHT: LOW \_\_\_\_\_ MIDDLE x HIGH \_\_\_\_\_

→ REAR RIDE HEIGHT: LOW \_\_\_\_\_ MIDDLE \_\_\_\_\_ HIGH x

OTHER SPECIAL DETAILS: \_\_\_\_\_